according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 9 May 2023 Print date: 9 May 2023

Version: 3



Fox 1.5WT Clear Full Synthetic Fox Oil

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

Fox 1.5WT Clear Full Synthetic Fox Oil

Article No.:

025-03-035

UFI:

FNKK-PKCJ-40AC-X9CV

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Lubricants, greases, release products

Relevant identified uses:

Life cycle stage [LCS]

PW: Widespread use by professional workers

Product Categories [PC]

PC 24: Lubricants, greases, release products

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

FOX Factory GmbH

Gewerbepark 6 66989 Höhfröschen

Germany

Telephone: +49(0) 6334 92304-0 Telefax: +49(0) 6334 92304-10 E-mail: info@foxracingshox.de Website: www.ridefox.de

E-mail (competent person): info@foxracingshox.de

1.4. Emergency telephone number

24h: Poison control center Munich +49 89 19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Aspiration hazard (Asp. Tox. 1)	H304: May be fatal if swallowed and enters airways.	On basis of test data.
Hazardous to the aquatic environment (Aquatic Chronic 3)	H412: Harmful to aquatic life with long lasting effects.	Calculation method.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]





Health hazard **Signal word:** Danger

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 9 May 2023 Print date: 9 May 2023

Version: 3 Page 2/10



Fox 1.5WT Clear Full Synthetic Fox Oil

Hazard components for labelling:

Alkenes, C16 .alpha.-, isomerized

Hazard statements for health hazards		s for health hazards
	H304	May be fatal if swallowed and enters airways.

Hazard statements for environmental hazards	
H412	Harmful to aquatic life with long lasting effects.

Supplemental hazard information: none

Precautionary statements	
P102	Keep out of reach of children.

Precautionary statements Prevention	
P273	Avoid release to the environment.

Precautionary statements Response	
P301 + P312 IF SWALLOWED: Call a POISON CENTER if you feel unwell.	
P331	Do NOT induce vomiting.

Precautionary statements Disposal	
P501	Dispose of contents/container to an appropriate recycling or disposal facility.

Special rules for supplemental label elements for certain mixtures:

95,0 % percent of the mixture consists of ingredient(s) of unknown acute toxicity (oral).

95,0 % percent of the mixture consists of ingredient(s) of unknown acute toxicity (dermal).

95,0 % percent of the mixture consists of ingredient(s) of unknown acute toxicity (inhalative).

95,0 % percent of the mixture consists of components of unknown hazards to the aquatic environment.

* 2.3. Other hazards

Adverse physicochemical effects:

No information available.

Adverse human health effects and symptoms:

This product contains a substance that has endocrine disrupting properties with respect to humans. 2,6-Di-tert-butyl-p-cresol

Adverse environmental effects:

No information available.

Other adverse effects:

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No. 1272/2008 [CLP]	Concentration
CAS No.: 148617-57-6	Alkenes, C16 .alpha, isomerized Aquatic Chronic 4 (H413), Asp. Tox. 1 (H304) Danger	< 95 weight-%
CAS No.: 80939-62-4 EC No.: 279-632-6	Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates Aquatic Chronic 2 (H411), Eye Irrit. 2 (H319), Skin Irrit. 2 (H315) Warning	1 - < 2.5 weight-%
CAS No.: 128-37-0 EC No.: 204-881-4	2,6-di-tert-butyl-p-cresol Aquatic Chronic 1 (H410) Warning	0.5 - ≤ 0.74 weight-%

Full text of H- and EUH-phrases: see section 16.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 9 May 2023 **Print date:** 9 May 2023

Version: 3



Fox 1.5WT Clear Full Synthetic Fox Oil

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing.

After eye contact:

In case of contact with eyes, rinse immediately thoroughly with plenty of edible oil and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion:

Rinse mouth.

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Get immediate medical advice/ attention.

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed

Pneumonia Pulmonary oedema

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water spray jet alcohol resistant foam Extinguishing powder Carbon dioxide (CO2)

Unsuitable extinguishing media:

Water spray jet

5.2. Special hazards arising from the substance or mixture

Combustible

Hazardous combustion products:

In case of fire: Gases/vapours, toxic

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 9 May 2023 Print date: 9 May 2023

Version: 3



Fox 1.5WT Clear Full Synthetic Fox Oil

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

Solvents/Thinner

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

Fire prevent measures:

Take precautionary measures against static discharge. Keep away from sources of ignition - No smoking.

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Packaging materials:

Keep/Store only in original container.

Storage class (TRGS 510, Germany): 10 - Combustible liquids that cannot be assigned to any of the above storage classes

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	 Long-term occupational exposure limit value Short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark
TRGS 900 (DE) from 1 Jul 2012	2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4	① 10 mg/m³ ② 40 mg/m³ ⑤ (Aerosol und Dampf, einatembare Fraktion) DFG, Y,

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

No data available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 9 May 2023 Print date: 9 May 2023

Version: 3



Fox 1.5WT Clear Full Synthetic Fox Oil

8.2.2. Personal protection equipment

Eye/face protection:

Eye glasses with side protection EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374

Suitable material: NBR (Nitrile rubber)

In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

Respiratory protection:

Usually no personal respirative protection necessary.

In case of inadequate ventilation wear respiratory protection.

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid Colour: colourless

Odour: Hydrocarbons, aromatic Odour threshold: not determined

Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
рН	not applicable		
Melting point	not determined		
Freezing point	not determined		
Initial boiling point and boiling range	not determined		
Decomposition temperature	not determined		
Flash point	125 °C		
Evaporation rate	not determined		
Auto-ignition temperature	not determined		
Upper/lower flammability or explosive limits	not determined		
Vapour pressure	not determined		
Vapour density	not determined		
Density	not determined		
Relative density	not determined		
Bulk density	not determined		
Water solubility	practically insoluble		
Partition coefficient: n-octanol/water	not determined		
Dynamic viscosity	not determined		
Kinematic viscosity	6 mm²/s	40 °C	

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Combustible

This material is considered to be non-reactive under normal use conditions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 9 May 2023 Print date: 9 May 2023

Version: 3 Page 6/10



Fox 1.5WT Clear Full Synthetic Fox Oil

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Oxidising agent, strong Reducing agent, strong

10.6. Hazardous decomposition products

No known hazardous decomposition products.

Decomposition products in case of fire: see section 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No. 1272/2008

2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4

LD₅₀ oral: ≈2,450 mg/kg **LD₅₀ dermal:** ≈2,000 mg/kg

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

May be fatal if swallowed and enters airways.

Additional information:

No data available

* 11.2. Information on other hazards

Endocrine disrupting properties:

This product contains a substance that has endocrine disrupting properties with respect to humans. 2,6-Di-tert-butyl-p-cresol

SECTION 12: Ecological information

12.1. Toxicity

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates CAS No.: 80939-62-4 EC No.: 279-632

LC₅₀: 5.5 mg/L 4 d (fish)

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 9 May 2023 Print date: 9 May 2023

Version: 3



Fox 1.5WT Clear Full Synthetic Fox Oil

2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4

NOEC: 0.053 mg/L 28 d (fish)

Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

Assessment/classification:

There are no data available on the mixture itself.

12.2. Persistence and degradability

Alkenes, C16 .alpha.-, isomerized CAS No.: 148617-57-6

Biodegradation: —

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates CAS No.: 80939-62-4 EC No.: 279-632

Biodegradation: Yes, slowly

Biodegradation:

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

Alkenes, C16 .alpha.-, isomerized CAS No.: 148617-57-6

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates CAS No.: 80939-62-4 EC No.: 279-632-6

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4

Results of PBT and vPvB assessment: -

There are no data available on the mixture itself.

* 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no component meets the criteria.

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation.

Recommended list for waste code/waste designation according to AVV:

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

V	Vaste code	product
	13 02 05 *	mineral-based non-chlorinated engine, gear and lubricating

1	3 02 05 *	mineral-based non-chlorinated engine, gear and lubricating oils
15 02 02 * absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, prote		absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective
		clothing contaminated by dangerous substances
1	6 03 05 *	organic wastes containing hazardous substances

^{*:} Evidence for disposal must be provided.

Waste code packaging

		<u> </u>
20	03 99	municipal wastes not otherwise specified

Waste treatment options

Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Completely emptied packages can be recycled.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 9 May 2023 **Print date:** 9 May 2023

Version: 3 Page 8/10



Fox 1.5WT Clear Full Synthetic Fox Oil

SECTION 14: Transport information

Land transport (ADR/RID)	(ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)			
14.1. UN number or I	D number					
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.			
14.2. UN proper shipping name						
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.			
14.3. Transport hazard class(es)						
not relevant	not relevant	not relevant	not relevant			
14.4. Packing group						
not relevant	not relevant	not relevant	not relevant			
14.5. Environmental hazards						
not relevant	not relevant	not relevant	not relevant			
14.6. Special precautions for user						
not relevant	not relevant	not relevant	not relevant			

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Restrictions on use:

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category.

15.1.2. National regulations

[DE] National regulations

Störfallverordnung (12. BlmschV)

for substances contained in the product:

This product is not assigned to a hazard category.

Water hazard class

WGK:

3 - highly hazardous to water

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1. Indication of changes

1.1.	Product identifier	
2.3.	Other hazards	
11.2.	Information on other hazards	
12.6.	Endocrine disrupting properties	

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 9 May 2023 **Print date:** 9 May 2023

Version: 3 Page 9/10



Fox 1.5WT Clear Full Synthetic Fox Oil

16.2. Abbreviations and acronyms

ACGIH American Conference of Governmental Industrial Hygienists

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging

DIN German Institute for Standardization / German Industrial Standard

DNEL derived no-effect level EN European Standard ES Exposure scenario

EWC European Waste Catalogue

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization
LC50 Lethal (fatal) Concentration 50%

LD₅₀ Lethal (fatal) Dose 50%

MAK Maximum concentration in the workplace air (CH)

NFPA National Fire Protection Association

NIOSH National Institute for Occupational Safety & Health

NOEC No Observed Effect Concentration

PBT persistent and bioaccumulative and toxic

PC Product category

PNEC Predicted No Effect Concentration

REACH Registration, Evaluation and Authorization of Chemicals RID Dangerous goods regulations for transport by rail

TRGS Technische Regeln für Gefahrstoffe

UN United Nations

16.3. Key literature references and sources for data

REACH Dissemination Portal

https://echa.europa.eu/de/information-on-chemicals/registered-substances

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No. 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure			
1 ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	H304: May be fatal if swallowed and enters airways.	On basis of test data.			
	H412: Harmful to aquatic life with long lasting effects.	Calculation method.			

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements		
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H413	May cause long lasting harmful effects to aquatic life.	

16.6. Training advice

No data available

16.7. Additional information

This Safety Data Sheet was drawn up by TÜV SÜD Industrie Service GmbH (see below), based on data from the supplier, who is named in section 1

and who is responsible for this document.

TÜV SÜD Industrie Service GmbH

Department Environmental Service

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 9 May 2023 **Print date:** 9 May 2023

Version: 3 Page 10/10



Fox 1.5WT Clear Full Synthetic Fox Oil

Westendstraße 199 80686 Munich - Germany * Data changed compared with the previous version.