Version number 2.1 (replaces version 2.0)

Printing date 02.05.2022



# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: FOX SUSPENSION FLUID 4WT
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture
   Only for proper handling.
   Fork oil
- 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier:

MOTOREX AG Bern–Zürich–Strasse 31, Postfach CH–4901 Langenthal Tel. +41 (0)62 919 75 75 www.motorex.com

· Further information obtainable from: msds@motorex.com

· 1.4 Emergency telephone number:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

#### SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

#### · 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labelling:

Distillates (petroleum), hydrotreated light naphthenic Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Hydrocarbons, C15-C20 n-alkanes, isoalkanes, cycloalkanes, <0.03% aromatics

Hazard statements

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

- P331 Do NOT induce vomiting.
- P405 Store locked up.

*P501 Dispose of contents/container in accordance with local/regional/national/international regulations.* 

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

(Contd. on page 2)

GB

Printing date 02.05.2022

Version number 2.1 (replaces version 2.0)



(Contd. of page 1)

Trade name: FOX SUSPENSION FLUID 4WT

· vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64742-53-6 EINECS: 265-156-6 Index number: 649-466-00-2 Reg.nr.: 01-2119480375-34	Distillates (petroleum), hydrotreated light naphthenic Asp. Tox. 1, H304	25-50%
CAS: 64742-53-6 EINECS: 265-156-6 Index number: 649-466-00-2 Reg.nr.: 01-2119480375-34	Distillates (petroleum), hydrotreated light naphthenic Asp. Tox. 1, H304	≥25-≤50%
CAS: 72623-87-1 EINECS: 276-738-4 Index number: 649-483-00-5 Reg.nr.: 01-2119474889-13	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Asp. Tox. 1, H304	≥1-≤7.5%
CAS: 64742-46-7 EINECS: 265-148-2 Reg.nr.: 01-2119489867-12	Hydrocarbons, C15-C20 n-alkanes, isoalkanes, cycloalkanes, <0.03% aromatics Asp. Tox. 1, H304	≥0.25-≤2.5%

#### · Additional information:

Note L: The classification as carcinogen does not apply because the mixture (or substance) contains less than 3% dimethyl sulfoxide extract (DMSO), measured according to IP 346. For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

· 4.1 Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Remove residues with soap and water.
- Remove contaminated clothing immediately.
- After eye contact: Rinse opened eye for several minutes under running water. Consult a physician if irritation develops.
- After swallowing:

Do not induce vomitting. Do not take in resorption stimulating agents. Consult a physician who will decide on need and method of emptying the stomach.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- In case of fire carbon, sulphur and nitrogen oxides can be formed.

(Contd. on page 3)

<sup>-</sup> GB

Printing date 02.05.2022

Version number 2.1 (replaces version 2.0)



(Contd. of page 2)

GB

#### Trade name: FOX SUSPENSION FLUID 4WT

#### · 5.3 Advice for firefighters

· Protective equipment: No special measures required.

#### SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- 6.4 Reference to other sections
   No dangerous substances are released.
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

#### SECTION 7: Handling and storage

• 7.1 Precautions for safe handling

Used oils (motor oils, gear oils, industrial oils) contain components causing skin cancer. Therefore, avoid skin contact by wearing protecting gloves. Carefully clean soiled parts of the skin with soap. • Information about fire - and explosion protection: Do not heat above flash point.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Store containers closed and protect against rain, dust, heat and other atmospheric influences. Keep container tightly sealed.

• Storage class: 10

· 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Inhalative	DNEL / Workers / Local Effects / Long-term	5.4 mg/m3 (worker)	
64742-53-6 Distillates (petroleum), hydrotreated light naphthenic			
Inhalative	DNEL / Workers / Local Effects / Long-term	5.4 mg/m3 (worker)	
72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based			
Inhalative	DNEL / Workers / Local Effects / Long-term	5.4 mg/m3/8h (worker)	
	DNEL/general population/Local effects/Long-term	1.2 mg/m3/24h (consumer)	
64742-46-7 Hydrocarbons, C15-C20 n-alkanes, isoalkanes, cycloalkanes, <0.03% aromatics			
Dermal	DNEL / Workers / Systemic effects / Long-term	2.9 mg/kg/24h (worker)	
Inhalative	DNEL / Workers / Systemic effects / Long-term	16 mg/m3 (worker)	

Page 4/11

# Safety data sheet according to 1907/2006/EC, Article 31



Printing date 02.05.2022

Version number 2.1 (replaces version 2.0)

# Trade name: FOX SUSPENSION FLUID 4WT

General protective and hygienic measures:	data; see section 7.
Individual protection measures, such as per General protective and hygienic measures: Keep away from foodstuffs, beverages and fee	uala, 366 36011011 / .
General protective and hygienic measures: Keep away from foodstuffs, beverages and fee	reanal protective equipment
Keep away from foodstuffs, beverages and fee	isonal protective equipment
	d
Do not inhale gases / fumes / aerosols.	
Respiratory protection:	
Not necessary if room is well-ventilated.	
	r mist: use mask with filter type A2, A2/P2 or ABEK.
Hand protection	
	and resistant to the product/ the substance/ th
preparation.	
	on of the penetration times, rates of diffusion and th
degradation	
Material of gloves	
The selection of the suitable gloves does not o	nly depend on the material, but also on further man
	nufacturer. As the product is a preparation of sever
	al can not be calculated in advance and has therefo
to be checked prior to the application.	
Penetration time of glove material	
The exact break through time has to be found	out by the manufacturer of the protective gloves an
has to be observed.	-
Eye/face protection Goggles recommended d	luring refilling
Body protection: Protective work clothing	
9.1 Information on basic physical and chem	ical properties
General Information	
Physical state	Fluid
Colour:	Red
	Characteriatia
Odour:	Characteristic
Odour threshold:	Not determined.
Odour threshold: Melting point/freezing point:	
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and	Not determined. Undetermined.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range	Not determined. Undetermined. Undetermined.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability	Not determined. Undetermined.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit	Not determined. Undetermined. Undetermined. Not applicable.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower:	Not determined. Undetermined. Not applicable. Not determined.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper:	Not determined. Undetermined. Not applicable. Not determined. Not determined.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point:	Not determined. Undetermined. Not applicable. Not determined. Not determined. 120 °C
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature:	Not determined. Undetermined. Undetermined. Not applicable. Not determined. Not determined. 120 °C Product is not selfigniting.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature:	Not determined. Undetermined. Undetermined. Not applicable. Not determined. 120 °C Product is not selfigniting. Not determined.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH	Not determined. Undetermined. Undetermined. Not applicable. Not determined. Not determined. 120 °C Product is not selfigniting.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity:	Not determined. Undetermined. Undetermined. Not applicable. Not determined. 120 °C Product is not selfigniting. Not determined. Not determined.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity	Not determined. Undetermined. Undetermined. Not applicable. Not determined. 120 °C Product is not selfigniting. Not determined.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency	Not determined. Undetermined. Undetermined. Not applicable. Not determined. 120 °C Product is not selfigniting. Not determined. Not determined. 15.9 mm²/s @ 40 °C
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency Dynamic:	Not determined. Undetermined. Undetermined. Not applicable. Not determined. 120 °C Product is not selfigniting. Not determined. Not determined.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency Dynamic: Solubility	Not determined. Undetermined. Undetermined. Not applicable. Not determined. 120 °C Product is not selfigniting. Not determined. Not determined. 15.9 mm²/s @ 40 °C Not determined.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency Dynamic: Solubility water:	Not determined. Undetermined. Undetermined. Not applicable. Not determined. 120 °C Product is not selfigniting. Not determined. Not determined. 15.9 mm²/s @ 40 °C
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency Dynamic: Solubility water: Partition coefficient n-octanol/water (log	Not determined. Undetermined. Undetermined. Not applicable. Not determined. 120 °C Product is not selfigniting. Not determined. Not determined. 15.9 mm²/s @ 40 °C Not determined. Not determined.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency Dynamic: Solubility water: Partition coefficient n-octanol/water (log value)	Not determined. Undetermined. Undetermined. Not applicable. Not determined. 120 °C Product is not selfigniting. Not determined. Not determined. 15.9 mm²/s @ 40 °C Not determined.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency Dynamic: Solubility water: Partition coefficient n-octanol/water (log	Not determined. Undetermined. Undetermined. Not applicable. Not determined. 120 °C Product is not selfigniting. Not determined. Not determined. 15.9 mm²/s @ 40 °C Not determined. Not determined.

Printing date 02.05.2022

Version number 2.1 (replaces version 2.0)



#### Trade name: FOX SUSPENSION FLUID 4WT

	(Contd. of page 4
<ul> <li>Density and/or relative density</li> </ul>	
Density at 20 °C:	0.881 g/cm³ (ASTM D 4052)
· Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of hea	alth
and environment, and on safety.	
Ignition temperature:	>270 °C (DIN 51794)
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.
<ul> <li>Information with regard to physical haze classes</li> </ul>	ard
· Explosives	Void
Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
<ul> <li>Self-reactive substances and mixtures</li> </ul>	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
<ul> <li>Self-heating substances and mixtures</li> </ul>	Void
<ul> <li>Substances and mixtures, which emit</li> </ul>	
flammable gases in contact with water	Void
· Oxidising liquids	Void
• Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
<ul> <li>Desensitised explosives</li> </ul>	Void

#### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity

#### · LD/LC50 values relevant for classification:

64742-53-6 Distillates (petroleum), hydrotreated light naphthenic

Oral LD50 5,000 mg/kg (rat)

(Contd. on page 6)



Printing date 02.05.2022

Version number 2.1 (replaces version 2.0)

### Trade name: FOX SUSPENSION FLUID 4WT

	LOAEL	(Contd. of pag 125 mg/kg/24h (rat)
Dermal	LOAEL LD50	
Dennal	NOEL	2,000-5,000 mg/kg (rabbit)
		30-2,000 mg/kg/24h (rat)
	NOAEL	150 mg/kg/24h (mouse)
	10151	1,000 mg/kg/24h (rabbit)
	LOAEL	100 mg/kg/24h (mouse)
Inhalative	LC50 / 4h	2.18-5.53 mg/l (rat)
	NOEL	220 mg/m3 (rat)
	NOAEL	980 mg/m3 (rat)
		es (petroleum), hydrotreated light naphthenic
Oral	LD50	5,000 mg/kg (rat)
_	LOAEL	125 mg/kg/24h (rat)
Dermal	LD50	2,000-5,000 mg/kg (rabbit)
	NOEL	30-2,000 mg/kg/24h (rat)
	NOAEL	150 mg/kg/24h (mouse)
		1,000 mg/kg/24h (rabbit)
	LOAEL	100 mg/kg/24h (mouse)
Inhalative	LC50 / 4h	2.18-5.53 mg/l (rat)
	NOEL	220 mg/m3 (rat)
	NOAEL	980 mg/m3 (rat)
		ing oils (petroleum), C20-50, hydrotreated neutral oil-based
Oral	LD50	5,000 mg/kg (rat)
	LOAEL	125 mg/kg/24h (rat)
Dermal	LD50	2,000-5,000 mg/kg (rabbit)
	NOAEL	150 mg/kg/24h (mouse)
		30-2,000 mg/kg/24h (rat)
		1,000 mg/kg/24h (rabbit)
	LOAEL	100 mg/kg/24h (mouse)
Inhalative	LC50 / 4h	2.18-5.53 mg/l (rat)
	NOAEC	980 mg/m3 (rat)
	NOEC	220 mg/m3 (rat)
64742-46-	-	rbons, C15-C20 n-alkanes, isoalkanes, cycloalkanes, <0.03% aromatic
Oral	LD50	5,000 mg/kg (rat)
Dermal	LD50	2,000 mg/kg (rabbit)
	NOAEL	25-125 mg/kg/24h (rat)
		1,000 mg/kg/24h (rabbit)
	LOAEL	30 mg/kg/24h (rat)
Inhalative	LC50 / 4h	1.72-4.6 mg/l (rat)
	NOAEC	880-1,710 mg/m3 (rat)
	LOEL	23-24 mg/m3 (rat)
	n hazard N	lay be fatal if swallowed and enters airways.
		other hazards g properties
	-	cyclotetrasiloxane List II,
	JULIANICUIVI	

(Contd. on page 7)

Printing date 02.05.2022

Version number 2.1 (replaces version 2.0)



Trade name: FOX SUSPENSION FLUID 4WT

(Contd. of page 6)

. 12.1 7	TION 12: Ecological information Toxicity
	tic toxicity:
-	2-53-6 Distillates (petroleum), hydrotreated light naphthenic
	10,000 mg/l/96h (aquatic invertebrates)
	100 mg/l/96h (fish)
LL50	10,000 mg/l/72h (aquatic invertebrates)
LL50	10,000 mg/l/48h (aquatic invertebrates)
LL50	10,000 mg/l/24h (aquatic invertebrates)
EL50	10,000 mg/l/48h (aquatic invertebrates)
64742	2-53-6 Distillates (petroleum), hydrotreated light naphthenic
LL50	10,000 mg/l/96h (aquatic invertebrates)
	100 mg/l/96h (fish)
	10,000 mg/l/72h (aquatic invertebrates)
	10,000 mg/l/48h (aquatic invertebrates)
	10,000 mg/l/24h (aquatic invertebrates)
	10,000 mg/l/48h (aquatic invertebrates)
	3-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based
LL50	10,000 mg/l/96h (aquatic invertebrates)
	100 mg/l/96h (fish)
	10,000 mg/l/72h (aquatic invertebrates)
	10,000 mg/l/48h (aquatic invertebrates)
	10,000 mg/l/24h (aquatic invertebrates)
	10,000 mg/l/48h (aquatic invertebrates)
	2-46-7 Hydrocarbons, C15-C20 n-alkanes, isoalkanes, cycloalkanes, <0.03% aromatics
	1.13-65 mg/l/96h (fish)
	21-150 mg/l/72h (fish)
	28-180 mg/l/48h (fish)
	100-1,000 mg/l/24h (fish)
	7.385-210 mg/l/48h (aquatic invertebrates)
	180-1,000 mg/l/24h (aquatic invertebrates) 1.714-22 mg/l/72h (algae / cyanobacteria)
	Persistence and degradability No further relevant information available.
	Bioaccumulative potential
	2-53-6 Distillates (petroleum), hydrotreated light naphthenic
	ion coefficient 2-6 [] (log Kow) (Bioaccumulation)
	2-53-6 Distillates (petroleum), hydrotreated light naphthenic
	ion coefficient 2-6 [] (log Kow) (Bioaccumulation)
	2-46-7 Hydrocarbons, C15-C20 n-alkanes, isoalkanes, cycloalkanes, <0.03% aromatic
	egradability 74 % (28d) (Biodegradability) (OECD 306)
	Mobility in soil No further relevant information available.
· 12.5 I	Results of PBT and vPvB assessment
	Not applicable.
	: Not applicable. Endocrine disrupting properties
	formation on endocrine disrupting properties see section 11.

*Printing date 02.05.2022* 

Version number 2.1 (replaces version 2.0)



#### Trade name: FOX SUSPENSION FLUID 4WT

· 12.7 Other adverse effects

- · Additional ecological information:
- · General notes:

Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### SECTION 13: Disposal considerations

#### · 13.1 Waste treatment methods

- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

· Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

## SECTION 14: Transport information

Void
Void
Void
Void
No
Not applicable.
0
Not applicable.
Void

### SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

(Contd. on page 9)

(Contd. of page 7)


Oil of Switzerlar Revision: 02.05.2022

Printing date 02.05.2022

Version number 2.1 (replaces version 2.0)

#### Trade name: FOX SUSPENSION FLUID 4WT

(Contd. of page 8)



Printing date 02.05.2022

Version number 2.1 (replaces version 2.0)



(Contd. of page 9)

#### Trade name: FOX SUSPENSION FLUID 4WT

Other operational conditions affecting consumer exposure during Not applicable. Risk management measures Worker protection Organisational protective measures No special measures required. Technical protective measures No special measures required. Personal protective measures No special measures required.	g the use of the product
Risk management measures Worker protection Organisational protective measures No special measures required. Technical protective measures No special measures required. Personal protective measures No special measures required.	
Worker protection Organisational protective measures No special measures required. Technical protective measures No special measures required. Personal protective measures No special measures required.	
Organisational protective measures No special measures required. Technical protective measures No special measures required. Personal protective measures No special measures required.	
<b>Technical protective measures</b> No special measures required. <b>Personal protective measures</b> No special measures required.	
Personal protective measures No special measures required.	
<i>Measures for consumer protection</i> No special measures required.	
Environmental protection measures	
Air No special measures required.	
Water No special measures required.	lationa
<b>Disposal measures</b> Disposal must be made according to official regu <b>Disposal procedures</b> Dispose of product residues with household wa	
Waste type Partially emptied and uncleaned packaging	1516.
Exposure estimation	
Consumer Not relevant for this Exposure Scenario.	
Guidance for downstream users No further relevant information ava	pilable
Annex: Exposure scenario 2	
-	
Short title of the exposure scenario	
Professional use of lubricants and greases in vehicles or machines	
Sector of Use	
SU22 Professional uses: Public domain (administration, education)	ion, entertainment, services,
craftsmen)	
Product category	
PC16 Heat transfer fluids	
PC17 Hydraulic fluids	
PC24 Lubricants, greases, release products	
Process category	
PROC1 Chemical production or refinery in closed process with	out likelihood of exposure or
processes with equivalent containment conditions.	
PROC2 Chemical production or refinery in closed continuous proce	ess with occasional controlled
exposure or processes with equivalent containment conditions	
PROC8a Transfer of substance or mixture (charging and discharging	
PROC8b Transfer of substance or mixture (charging and discharging	g) at dedicated facilities
PROC20 Use of functional fluids in small devices	
Environmental release category	
ERC9a Widespread use of functional fluid (indoor)	
ERC9b Widespread use of functional fluid (outdoor)	<b>-</b> .
Description of the activities / processes covered in the Exposure	Scenario
See section 1 of the annex to the Safety Data Sheet.	
Conditions of use	
Duration and frequency 5 workdays/week.	
Physical parameters	
Physical state Fluid	
Concentration of the substance in the mixture The substance is m	ain component.
Other operational conditions	, ., . ,
Other operational conditions affecting environmental exposure N	
Other operational conditions affecting consumer exposure Not re	
Other operational conditions affecting consumer exposure during	g the use of the product
Not applicable.	
Risk management measures	
Worker protection	
Organisational protective measures No special measures required.	
Technical protective measures No special measures required.	
Personal protective measures No special measures required.	
	(Contd. on page 11)

Printing date 02.05.2022

Version number 2.1 (replaces version 2.0)



(Contd. of page 10)

#### Trade name: FOX SUSPENSION FLUID 4WT

· Measures for consumer protection No special measures required.

· Environmental protection measures

· Air No special measures required.

· Water No special measures required.

· **Disposal measures** Disposal must be made according to official regulations.

- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.

· Guidance for downstream users No further relevant information available.

#### Annex: Exposure scenario 3

· Short title of the exposure scenario Private use of lubricants and greases in vehicles or machines · Sector of Use SU21 Consumer uses: Private households / general public / consumers · Product category PC24 Lubricants, greases, release products · Environmental release category ERC9a Widespread use of functional fluid (indoor) ERC9b Widespread use of functional fluid (outdoor) · Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet. · Conditions of use · Duration and frequency 5 workdays/week. · Physical parameters · Physical state Fluid · Concentration of the substance in the mixture The substance is main component. · Other operational conditions

· Other operational conditions affecting environmental exposure No special measures required.

- · Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- Disposal measures

Disposal must be made according to official regulations. Ensure that waste is collected and contained.

· Disposal procedures Dispose of product residues with household waste.

- · Waste type Partially emptied and uncleaned packaging
- Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- Guidance for downstream users No further relevant information available.